



Revised date: August 1st

Version/times: B/0



Orthopedic Power Tools

WUHU RUIJIN MEDICAL
INSTRUMENT&DEVICE CO.,LTD



WUHU RUIJIN MEDICAL INSTRUMENT & DEVICE CO.,LTD

Address:33rd, East Wanchun Road, Wuhu Economic
& Technology Development Zone, Wuhu, Anhui, P.R.C
Tel:+86 553 2672510/2672511 Fax:+86 553 2672513
Postal Code: 241000
www.ruijinmedical.com

Disclaimer: If any change in the shape, structure and parameters of all the products in the brochure due to technical upgrades or printing errors, the actual product shall prevail. We apologize for any inconvenience.

The final interpretation right belongs to the Wuhu Ruijin Medical Instrument & Device Co., Ltd

www.ruijinmedical.com



BRIEF INTRODUCTION

Founded in 2007, Wuhu Ruijin Medical Instrument & Device Co.,Ltd is a national high-tech enterprise which focus on the research and development, manufacturing, distributing and service of orthopedic surgical power tools.

We have more than 100 employees. In the past thirteen years, we have been focusing on the research and development of orthopedic power tools. At the same time, we have also introduced cutting-edge automated production and inspection equipment in the industry, and has obtained a number of patent certificates.

Currently, our product sales and service network covers 34 provinces, municipalities and administrative regions across the China, and more than 100 countries in overseas market. Our goal is to become a first-class company in the field of orthopedics power tools, to be a representative enterprise in the industry, and to contribute to the cause of human health.

Core values: quality-oriented, service first-oriented, cherishing talents, and independent innovation.

Corporate Vision: build Ruijin into a leading domestic and world-renowned brand with the spirit of craftsmanship.

Corporate mission: provide every orthopedic doctor with high-quality surgical tools to protect human orthopedic health

CONTENT


- Power tool for big bone
- Power tool for small bone
- Micro medical electric spine drill
- Orthopedic power tools
- Accessories



Sterilization case for power tools

Order code
PJDB001

*Power tools excluded



Power tool for big bone



Brushless Multifunctional Drill Handpiece

Order code
SM100



K Wire Adapter

Order Code	Gripping Range	Speed
SM1-6001	Φ0.8 - Φ1.8	0-1200rpm
SM1-6001	Φ2.0 - Φ3.2	0-1200rpm



Bone Drill Adapter

Order Code	Interface type	Speed
SM1-1001	Universal	0-1200rpm



Stryker



AO Synthes

0-1200rpm

0-1200rpm

Acetabular Reaming Drill Adapter

Order Code	Interface type	Speed
SM1-3011	Universal	0-300rpm



Stryker



AO Synthes

0-300rpm

0-300rpm

0-300rpm

Order Code	Interface type	Speed
SM1-3011	Johnson	0-300rpm
SM1-3011	Hudson	0-300rpm
SM1-3011	Aesculap	0-300rpm



Johnson



Hudson



Aesculap

0-300rpm

0-300rpm

0-300rpm

Power tool for big bone

RJ-PS

Sternum Saw

Order code	Speed
SS-3032	0-14000 cpm

RJ-PS

Oscillating Saw

Order code	Speed
SS-1011	0-18000 cpm

RJ-MP

Brushless Multifunctional Drill Handpiece

Order code
SM100

RJ-PS

Reciprocating Saw

Order code	Speed
SS-3031	0-14000 cpm



Accessories



Accessory Description

Order code

Battery

PJDC0960



Charger

PJCG006



Battery Sterilizing Box

PJBB002



Battery Aseptic Transfer Kit

PJXD006



Key For Drill Chuck

PJYS002


Power tool for big bone

Power tool for big bone

Sterilization case for power tools

Order code
PJDB002

*Power tools excluded



Brushless Multifunctional Drill Handpiece

Order code
EM100




K Wire Adapter

Order Code	Gripping Range	Speed
SM1-6001	Φ0.8 - Φ1.8	0-1200rpm
SM1-6001	Φ2.0 - Φ3.2	0-1200rpm





Bone Drill Adapter




Order Code	Interface type	Speed
SM1-1001	Universal	0-1200rpm
SM1-1001	 Stryker	0-1200rpm
SM1-1001	AO Synthes	0-1200rpm



Acetabular Reaming Drill Adapter

Order Code	Interface type	Speed
SM1-3011	Universal	0-300rpm
SM1-3011	 Stryker	0-300rpm
SM1-3011	 AO Synthes	0-300rpm



Order Code	Interface type	Speed
SM1-3011	 Johnson	0-300rpm
SM1-3011	 Hudson	0-300rpm
SM1-3011	 Aesculap	0-300rpm



RJ-PS
Sternum Saw

Order code	Speed
ES-3032	0-14000 cpm

RJ-PS
Oscillating Saw

Order code	Speed
ES-1011	0-18000 cpm

RJ-MP
Brushless Multifunctional
Drill Handpiece






Order code
EM100

RJ-PS
Reciprocating Saw

Order code	Speed
ES-3031	0-14000 cpm



Accessories

Accessory Description	Order code
 Battery	PJDC1481
 Charger	PJCG005
 Battery Sterilizing Box	PJBB001
 Battery Aseptic Transfer Kit	PJXD004
 Key For Drill Chuck	PJYS002


Power tool for big bone

Power tool for big bone



RJ-MP
Multifunctional Handpiece

Order code
NM500



Sterilization case for power tools


Order code
PJDB002

*Power tools excluded

Multiple functions in one, wide range of applications.

Quick replacement of adapters, convenient and speedy.

Suitable for joint, trauma, neurosurgery, and intracardiac surgery; Applicable components consist of canulate drill adapter, K wire adapter, bone drill adapter, acetabular reaming drill adapter, oscillating saw adapter, cranial drill adapter, reciprocating saw adapter, sternum saw adapter, TPLO saw adapter and cranial mill adapter.



NM5-2001
Canulate Drill Adapter

Item code	Gripping Range	Speed
MPN52001	0.8-7.9mm	0-1000 rpm
MPN52011	0.8-7.9mm	0-1000 rpm
MPN52021	0.8-7.9mm	0-1000 rpm




NM5-6001
K Wire Adapter

Item code	Gripping Range	Speed
MPN16003	2.0-3.2mm	0-1200 rpm
MPN16002	1.5-2.5mm	0-1200 rpm
MPN16001	0.8-1.8mm	0-1200 rpm



NM5-1001
Bone Drill Adapter

Item code	Gripping Range	Speed
MPN51001	0.8-7.9mm	0-1200 rpm
MPN11021	/	0-1200 rpm



NM5-3011
Acetabular Reaming Drill Adapter

Item code	Gripping Range	Speed
MPN53011	1.0-8.1mm	0-300 rpm
MPN53021	1.0-8.1mm	0-300 rpm



NM5-S011
Oscillating Saw Adapter

Item code	Gripping Range	Speed
MPN1S011	/	0-18000 cpm



NM5-S091
Cranial Mill Adapter

Item code	Gripping Range	Speed
MPN1S091	/	0-36000 rpm



NM5-4011
Cranial Drill Adapter

Item code	Gripping Range	Speed
MPN14011	/	0-800 rpm



NM5-S032
Sternum Saw Adapter

Item code	Gripping Range	Speed
MPN1S032	/	0-14000 cpm



NM5-S031
Reciprocating Saw Adapter

Item code	Gripping Range	Speed
MPN1S031	/	0-14000 cpm



NM5-S071
TPLO Saw Adapter

Item code	Gripping Range	Speed
MPN1S071	/	0-16000 cpm

Power tool for big bone


Power tool for big bone



RJ-PD
Acetabular Reaming Drill

Order code	Speed
ND-3511	0-300 rpm

● Accept customization of various brands interface



Order code
PDN3511

Order code
PDN3521

Order code
PDN3531



RJ-PD
Bone Drill

Order code	Speed
ND-1501(1)	0-1200 rpm



RJ-PD
Bone Drill

● Detachable drill chuck

Order code	Speed
ND-1501(2)	0-1200 rpm



RJ-PD
Cranial Drill

Order code	Speed
ND-4511	0-800 rpm



RJ-PD
Canulate Drill

Order code	Speed
ND-2511(1)	0-1000 rpm



RJ-PD
Canulate Drill

● Detachable drill chuck

Order code	Speed
ND-2511(2)	0-600 rpm
ND-2512(3)	0-1000 rpm



RJ-PS
Oscillating Saw

Order code	Speed
NS-1511	0-18000 cpm



RJ-PS
Reciprocating Saw

Order code	Speed
NS-3531	0-14000 cpm



RJ-PS
Sternum Saw

Order code	Speed
NS-3532	0-14000 cpm

Accessories



Accessory
Description

Order code

NI-MH battery charger/
Lithium battery charger

PJDC1441
PJDC1480



NI-MH battery charger/
Lithium battery charger

PJCG003
PJCG004



Battery Aseptic
Transfer Kit

PJXD003



Key For
Drill Chuck

PJYS002



Sterilization case for
power tool



Order code
PJDB004

*Power tools excluded


Power tool for big bone

Power tool for big bone



RJ-MP
Multifunctional
Handpiece

Order code
NM100



Sterilization case for multifunctional system


Order code
PJDB005

*Power tools excluded

Multiple functions in one, wide range of applications.

Quick replacement of adapters, convenient and speedy.

Suitable for joint, trauma, neurosurgery, and intracardiac surgery; Applicable components consist of canulate drill adapter, K wire adapter, bone drill adapter, acetabular reaming drill adapter, oscillating saw adapter, cranial drill adapter, reciprocating saw adapter, sternum saw adapter, TPLO saw adapter and cranial mill adapter.



NM1-2001
Canulate Drill
Adapter

Item code	Gripping Range	Speed
MPN52001	0.8-7.9mm	0-1000 rpm
MPN52011	0.8-7.9mm	0-1000 rpm
MPN52021	0.8-7.9mm	0-1000 rpm




NM1-6001
K Wire Adapter

Item code	Gripping Range	Speed
MPN16003	2.0-3.2mm	0-1200 rpm
MPN16002	1.5-2.5mm	0-1200 rpm
MPN16001	0.8-1.8mm	0-1200 rpm



NM1-1001
Bone Drill Adapter

Item code	Gripping Range	Speed
MPN51001	0.8-7.9mm	0-1200 rpm
MPN11021	/	0-1200 rpm



NM1-3011
Acetabular Reaming drill
Adapter

Item code	Gripping Range	Speed
MPN53011	1.0-8.1mm	0-300 rpm
MPN53021	1.0-8.1mm	0-300 rpm



NM1-S011
Oscillating Saw
Adapter

Item code	Gripping Range	Speed
MPN1S011	/	0-18000 cpm



NM1-S091
Cranial Mill Adapter

Item code	Gripping Range	Speed
MPN1S091	/	0-36000 rpm



NM1-4011
Cranial Drill Adapter

Item code	Gripping Range	Speed
MPN14011	/	0-800 rpm



NM1-S032
Sternum Saw
Adapter

Item code	Gripping Range	Speed
MPN1S032	/	0-14000 cpm



NM1-S031
Reciprocating Saw
Adapter

Item code	Gripping Range	Speed
MPN1S031	/	0-14000 cpm



NM1-S071
TPLO Saw Adapter

Item code	Gripping Range	Speed
MPN1S071	/	0-16000 cpm

**RJ-PD
Bone Drill**

Order code	Speed
ND-1001	0-1200 rpm



**RJ-PD
Acetabular Reaming Drill**

Order code	Speed
ND-3011	0-300 rpm



● Accept customization of various brands interface

Order code	Order code	Order code
PDN3011	PDN3021	PDN3031



**RJ-PD
(AO) Bone Drill**

Order code	Speed
ND-1001(1)	0-1200 rpm



**RJ-PD
Bone Drill**

● Detachable drill chuck

Order code	Speed
ND-1001(2)	0-1200 rpm



**RJ-PD
Canulate Drill**

Order code	Speed
ND-2011(1)	0-1000 rpm



**RJ-PD
Canulate Drill**

● Detachable drill chuck

Order code	Speed
ND-2011(2)	0-600 rpm
ND-2011(3)	0-1000 rpm



**RJ-PS
Oscillating Saw**

Order code	Speed
NS-1011	0-18000 cpm




**RJ-PS
Reciprocating Saw**

Order code	Speed
NS-3031	0-14000 cpm



**RJ-PS
Sternum Saw**

Order code	Speed
NS-3032	0-14000 cpm



**RJ-PD
Cranial Drill**

Order code	Speed
ND-4011	0-800 rpm



Order code	Speed
NM1-4011	NM1-S091

Cranial drill adapter
Cranial mill adapter





Order code	Speed
NM101	

**RJ-MP
Handpiece**



Order code
NM101



Accessories

Accessory Description	Order code
 NI-MH Battery	PJDC1440
 Charge	PJCG001
 Battery Aseptic Transfer Kit	PJXD001
 Key For Drill Chuck	PJYS001

Sterilization case for power tool







Order code
PJDB006

*Power tools excluded

RJ-MP
Lithium Battery Operated
Mini Multifunctional
Drill Saw System

Order code
NM300 (2)



Components Description	Order code	Speed
 Bone Drill Adapter	NM3-1001	0-1200rpm
 AO quick coupling Adapter	NM3-1021	0-1200rpm
 Oscillating Saw Adapter	NM3-S011	0-18000cpm
 K Wire Adapter	NM3-6001	0-1200rpm

RJ-PS
Lithium Battery Operated
360° Roating Micro
Oscillating Bone Saw





Order code	Speed
NS-2011	0-18000 rpm



RJ-PD
Lithium Battery Operated
Micro Canulate Drill

Order code	Speed
ND-5002 (N)	0-1200 rpm







Accessories	
Accessory Description	Order code
 Charger	PJCG002
 Battery Aseptic Transfer Kit	PJCD002
 Lithium battery	PJDC0740
 Key For Drill Chuck	PJYS004

Sterilization case for power tool	
	Order code PJDB007
*Power tools excluded	



RJ-MP
Mini Multifunctional
Drill Saw System

Order code
NM300(1)

Components Description	Order code	Speed
 Bone Drill Adapter	NM3-1001	0-1200rpm
 AO quick coupling Adapter	NM3-1021	0-1200rpm
 Oscillating Saw Adapter	NM3-S011	0-18000cpm
 K Wire Adapter	NM3-6001	0-1200rpm



RJ-PS
Mini 360° Roating
Micro Oscillating
Saw

Order code	Speed
NS-2011	0-18000 rpm







RJ-PD
Micro Canulate Drill


Order code	Speed
ND-5002	0-1200 rpm



RJ-PD
Micro Bone Drill

Order code	Speed
ND-5001	0-1200 rpm

Accessories	
Accessory Description	Order code
 Charger	PJCG001
 Battery Aseptic Transfer Kit	PJXD001
 NI-MH Battery 7-2V	PJDC0720
 Key For Drill Chuck	PJYS003 PJYS004

Sterilization case for power tool	
	Order code PJDB008
*Power tools excluded	





Power tool for small bone

Power tool for small bone

RJ-MP Lithium Battery Operated Brushless Mini Multifunctional Saw Drill

Order code
EM300



Components Description	Order code	Speed
 Bone Drill Adapter	NM3-1001	0-1200rpm
 AO quick coupling Adapter	NM3-1021	0-1200rpm
 Oscillating Saw Adapter	NM3-S011	0-18000cpm
 K Wire Adapter	NM3-6001	0-1200rpm

RJ-PS Lithium Battery Operated Brushless Micro Bone Saw

Order code	Speed
ES-2011	0-18000 rpm







RJ-PD Lithium Battery Operated Brushless Micro Canulate Drill


Order code	Speed
ND-5002(E)	0-1200 rpm



Accessories

Accessory Description	Order code
 Charger	PJCG002
 Battery Aseptic Transfer Kit	PJXD005
 Lithium battery	PJDC0741
 Key For Drill Chuck	PJYS004

Sterilization case for power tool







Order code
PJDB009

*Power tools excluded

Adaptor	Order code
	PJZJ000

Customize interface according to needs.

Main interface / Transfer connector	Stryker	Johnson	AO	Hudson
 Stryker	●	●	●	●
 Johnson	●	●	●	●
 AO	●	●	●	●
 Hudson	●	●	●	●


Power tool for small bone

RJ-PD Micro medical electric spine drill

Order code
MZ 100

Product performance and application


Straight handle: different length, applied in neursugery,spine surgery and microsurgery.
 Angled handle: different length, applied in neursugery,spine surgery and microsurgery.



Sterilization case for power tool

Order code
PJDB010

*Power tools excluded



RJ-PS Electric saw - TPLO saw


Order code	Power voltage	Speed
NS-1511(H)	12V	0-16000 cpm



Handpiece



Accessories




Size	8mm	10mm	12mm	15mm	18mm
20mm	21mm	24mm	27mm	30mm	33mm



Sterilization case for power tool

Order code
PJDB011

*Power tools excluded



Autopsy Saw

Order code	Power voltage	Speed
NS-4041(J)	12V	0-16000 cpm



Handpiece

Control cabinet
connet handpiece



Power source console


Spanner

Order code
PJBS002

Size
Φ52

Size
Φ43

Size
Φ64



Power line

Plaster saw

Strong power, fast cutting, safe working, low noise

Order code	Power voltage	Speed
NS-4041	110V	0-13000 cpm
NS-4042	220V	0-13000 cpm

Spanner

Order code
PJBS002

Size
Φ52

Size
Φ43

Size
Φ64



6 speed can be adjusted




Acetabular reamer shaft

订购代码
Order code
PJAM001



Acetabular reamer

订购代码
Order code
PJAM002



SIZE (Φ)	33	36	38	39	40
41	42	44	45	46	47
48	49	50	51	52	53
54	55	56	57	58	60
61	62	63	64	65	66



Order code
PJDB012

*Acetabular reamer tool excluded

Sterilization case for Acetabular reamer tool



Flexible Reamer

Flexible reamer (fixed head)

Detachable flexible reamer

SIZE (Φ)	Flexible reamer (fixed head)		Detachable flexible reamer	
	AO	Stryker	AO	Stryker
6		●		●
6.5		●		●
7		●		●
7.2		●		●
7.5		●		●
8	●	●	●	●
8.5	●	●	●	●
9	●	●	●	●
9.5	●	●	●	●
10	●	●	●	●
10.5	●	●	●	●
11	●	●	●	●
11.5	●	●	●	●
12	●	●	●	●
12.5	●	●	●	●
13	●	●	●	●
13.5	●	●	●	●
14	●	●	●	●
14.5	●	●	●	●
15	●	●	●	●
15.5			●	●
16			●	●
16.5			●	●
17				●
18				●

AO interface for fixed head

Order code
PJFR001

AO interface for detachable head

Order code
PJFR003

Stryker interface for fixed head

Order code
PJFR002

Stryker interface for detachable head

Order code
PJFR004



Order code
PJDB013

*Flexible reamer excluded

Sterilization case for flexible reamer

Twist drill bits

Accept customization of different specifications

Diameter (Φ)	Available length (mm)
0.8	110
1.0	110/150
1.2	150
1.5	110/150
1.5	110/150
1.8	110
2.0	110/150
2.5	115/110/150
2.8	115/150/200
3.0	150/200
3.2	150/180/200
3.5	150
4.0	150/180/200

Flexible Drill Bits

Accept customization of different specifications

Diameter (Φ)	Total length (mm)	Drill bits length (mm)
2.5	195/200	40/50
3.2	195/200	40/50
3.5	195/200	40/50

AO twist drill bits

Accept customization of different specifications

Diameter (Φ)	Available length (mm)
2.0	100/125
2.4	80
2.5	110/225
2.7	120
3.2	225
3.5	110/225
4.0	100/150/225
4.1	220
4.2	300/360
4.5	145/180/225
5.0	115
5.5	115









Hollow Drill Bits

Accept customization of different specifications




Diameter (Φ)	Available length (mm)
2.0	150
3.0	150
3.2	150
3.5	150
4.8	150
5.0	250
5.5	250
5.8	250

Saw Blade :

Effective length : 90 mm

Length*Width (mm)	Thickness (mm)	Ruijin 	Linvatec 	Stryker 	Zimmer/Synthes 
90 X 24 	0.8				
	1.0	118902410	120902410	125902410	
	1.2	118902412		125902412	
	1.27				
90 X 22 	0.8	118902208			
	1.0	118902210	120902210		112902210
	1.2	118902212	120902212	125902212	112902212
	1.27	1189022127	1209022127	1259022127	1129022127
90 X 19 	0.8				
	1.0	118901910		125901910	
	1.2	118901912			
	1.27	1189019127			
90 X 13 	0.8	118901308			
	1.0	118901310	120901310	125901310	
	1.2	118901312	120901312	125901312	112901312
	1.27	1189013127	1209013127	1259013127	


Effective length : 70 mm

70 X 24 	0.8				
	1.0	98702410	100702410	105702410	96702410
	1.2	98702412			
70 X 22 	0.8	98702208			
	1.0		100702210		
	1.2			110702212	
	1.27	987022127			
70 X 13 	1.0	98701310			

Saw blades Effective length: special dimension

50*13	0.8	78501308			
45*32	1.2	73453212		80453212	
30*10	0.5	58301005			
28*58	1.0	54285810			
65*27				91652708	

RUIJIN Mirco sagittal saw blades

Length*Width (mm)	Thickness (mm)	
22*12	0.3	37*22*12*0.3
22*8	0.5	40*22*8*0.5
22*12	0.5	40*22*12*0.5
22*15	0.5	40*22*15*0.5
25*5.5	0.5	43*25*5.5*0.5
25*9.5	0.5	43*25*9.5*0.5
29.5*7	0.5	47.5*29.5*7*0.5
31*9.5	0.5	49*31*9.5*0.5
35*8	0.5	53*35*8*0.5
35*10	0.5	53*35*10*0.5
39*13	0.5	57*39*13*0.5
40*15	0.5	55*40*15*0.5
40*24	0.8	55*40*24*0.8
50*14	0.5	68*50*14*0.5

Other type micro sagittal saw blades

Length*Width (mm)	Thickness (mm)	Stryker 
40.1*8.8	0.5	40.1*8.8*0.5

Reciprocating saw blades :

Length*Width (mm)	Thickness (mm)	
106*77.5	1.0	10677508(10)
Length*Width (mm)	Thickness (mm)	
92*13.4	1.0	9213410

Sternum saw blade :

Length*Width (mm)	Thickness (mm)	
60*6	0.8	60608

Toothbrush Saws Blade :

Length (mm)	Thickness (mm)	Ruijin 	Length (mm)	Thickness (mm)	Linvatec 
110	3.3		121	3.8	